UML Diagram Types Dynamic Models Structural Models ■ activity diagrams class diagrams statechart diagrams object diagrams ■ interaction diagrams packages - sequence diagrams **Architectural Models** collaboration component diagrams diagrams deployment diagrams use case diagrams **Activity Diagram** def'n: dynamic model showing the flow from activity to activity (and action to action) activity: ongoing non-atomic execution within a state machine action: executable atomic computation that results in a change in state of a system or the return of a value - call operation, send signal, create/destroy object, pure computation Activity Diagram vs. Interaction Diagram Activity diagram - models flow of control from activity to activity (and action to action) - interaction diagram turned inside out - detailed view of an operation Interaction diagram - models flow of control from object to object - looks at objects that pass messages

Activity Diagram captures the critical path of the workflow kind of state machine Convention modeled as vertices and arcs text may be structured text, or specific syntax of programming language may contain simple, composite states, forks, branches, joins

Contents of Activity Diagram

■ Activity State

def'n: system state representing execution
 of (a series of) actions

- can be decomposed
- can be interrupted
- has duration
- may have entry and exit action
- Convention: lozenge shape

Contents of Activity Diagram

■ Action State

def'n: system state representing execution
 of an action (atomic computation)

- cannot be decomposed
- cannot be interrupted
- execution time is insignificant
- special case of activity state (cannot be further decomposed)
- Convention: lozenge shape

Contents of Activity Diagram ■ Transition def'n: when action completes, flow of control passes immediately to next action or activity state - triggerless: transition occurs once work in source state is complete, if guard is true - Convention: simple directed line - Types include: branching, fork/join, swimlanes **Transition Types** Branching def'n: specification of alternate paths taken based upon some Boolean expression • one incoming and two or more outgoing branches Boolean expression on each outgoing transition that is evaluated once (when entering branch) ■ can use "else" can be used to indicate iteration structured text, or specific programming language **Transition Types** Fork/Join def'n: specification of concurrent paths ■ use synchronization bar to indicate convention: thick horizontal or vertical line fork: splitting of single flow of control into two or more concurrent flows of control ■ join: synchronization of two or more concurrent flows of control • joins and forks should balance parallel flows may communicate via signals

(coroutines)

Transition Types Swimlanes def'n: specific, named locus of activities ■ no deep semantics ■ may represent some real-world entity every activity belongs to one swimlane, but transitions may cross lanes Contents of Activity Diagram ■ Object - can specify objects that are created, destroyed, or modified as part of the flow of control - can show how its role, state, and attribute values change Common Uses of Activity Diagrams ■ Model a workflow: focus on activities as viewed by the actors that collaborate with the system (business systems perspective) ■ Model an operation: use as flowcharts to model the details of a computation ■ Model order: sequence within state of statechart diagram

Model an Operation ■ Collect abstractions involved in the operation (parameters, class) Identify preconditions and postconditions ■ Model activities and actions over time ■ Use branching for conditional paths ■ Use forking and joining to indicate concurrent paths Model an Operation ■ UML is not a visual programming language ■ Every operation can be flowcharted, but why would one want to? ■ Model operation behavior that is complex and to difficult to understand by looking at code Methods of Modeling an Operation ■ Activity diagram Statechart diagram ■ Flowchart ■ Nassi-Schneiderman chart ■ Pseudo-code ■ Prose