



THOU DOST WRONG ME! FAITH, I KNOW NOT WHERE I WANDER. METHINKS THE MOST CAPRICIOUS ZEPHYR HATH MORE DESIGN THAN I. BUT LO: DO NOT DETAIN ME, FOR I AM RESOLV'D TO QUIT THIS PLACE FORTHWITH.



Communication and Concurrency



Preliminary Definition

- A calculus is a *method or system of calculation*
- The early Greeks used pebbles arranged in patterns to learn arithmetic and geometry
- The Latin word for pebble is “calculus” (diminutive of calx/calcis)
- Popular flavors:
 - differential, integral, propositional, predicate, lambda, pi, join, of communicating systems

Cunning Plan

- Types of Concurrency
- Modeling Concurrency
- Pi Calculus
- Channels and Scopes
- Semantics
- Security
- Real Languages



Relevance - PLDI 2015

Mechanized Verification of Fine-Grained Concurrent Programs



Ilya Sergey

In this paper, we focus on *program logics* as a generic approach to specify a program and formally prove its correctness wrt. the given specification. In such logics, program specifications (or specs) are represented by Hoare triples $\{P\} c \{Q\}$, where c is a program being described, P is a precondition that constrains a state in which the program is safe to run, and Q is a postcondition,

Anindya Banerjee

Asynchronous Programming, Analysis and Testing with State Machines



$$\frac{\neg \ell(v)}{(\ell, h, S, \text{if } (v) \text{ } ss_t \text{ else } ss_f; ss) \rightarrow_s (\ell, h, S, ss_f; ss)}$$

$$\frac{\ell(v)}{(\ell, h, S, \text{while } (v) \text{ } ss_b; ss) \rightarrow_s (\ell, h, S, ss_b; \text{while } (v) \text{ } ss_b; ss)} \quad (\text{WHI})$$

$$\frac{\neg \ell(v)}{(\ell, h, S, \text{while } (v) \text{ } ss_b; ss) \rightarrow_s (\ell, h, S, ss)} \quad (\text{WHIL})$$

Figure 3. Operational semantics

$$\begin{aligned} M(i) &= (m, q, E, \ell, S, \text{send}_{dst} \text{ evt}(v); ss) \\ M_s &= M[i \mapsto (m, q, E, \ell, S, ss)] \\ M_s(dst) &= (m', q', E', \ell', S', ss') \\ M' &= M_s[dst \mapsto (m', q', E' : \text{evt}(\ell(v)), \ell', S', ss')] \end{aligned} \quad (\text{SEND})$$

$$(h, M) \rightarrow_t (h, M')$$

$$\begin{aligned} M(i) &= (m, q, E, \ell, S, \varepsilon) & T_m(q, E) &= (q', \text{val}, E') \\ M' &= M[i \mapsto (m, q', E', \ell, S, v_m.q'(\text{val}))] \end{aligned} \quad (\text{RECEIVE})$$

$$(h, M) \rightarrow_t (h, M')$$

Figure 4. Transition rules

Pant

Relevance - PLDI 2015

Efficient Synthesis of Network Updates



starting at *src* eventually reach *dst*. Temporal logics are an expressive and well-studied language for specifying such trace-based properties. Hence, we use Linear Temporal Logic (LTL) to describe traces in our network model. Let AP be atomic propositions that test the value of a switch, port, or packet field: $f_i = n$. We call elements of the set 2^{AP} *traffic classes*. Intuitively, each traffic class T identifies a set of packets that agree on the values of particular header fields. An LTL formula φ in negation normal form (NNF) is either *true*, *false*, atomic proposition p in AP , negated proposition $\neg p$, disjunction $\varphi_1 \vee \varphi_2$, conjunction $\varphi_1 \wedge \varphi_2$, next $X\varphi$, until $\varphi_1 U \varphi_2$, or release $\varphi_1 R \varphi_2$, where φ_1 and φ_2 are LTL formulas in NNF. The operators F and G can be defined using other

4.3 Formal Properties

The following two theorems show that our algorithm is sound for careful updates, and complete if we limit our search to *simple* update sequences (see Appendix B for proofs).

Theorem 1 (Soundness). *Given initial network N_i , final configuration N_f , and LTL formula φ , if ORDERUPDATE returns a command sequence $cmds$, then $N_i \xrightarrow{cmds} N'$ s.t. $N' \simeq N_f$, and $cmds$ is correct with respect to φ and N_i .*

Theorem 2 (Completeness). *Given initial network N_i , final configuration N_f , and specification φ , if there exists a simple, careful sequence $cmds$ with $N_i \xrightarrow{cmds} N'$ s.t. $N' \simeq N_f$, then ORDERUPDATE returns one such sequence.*

Verdi: A Framework for Implementing and Formally Verifying Distributed Systems

```
| Agent n =>
  match msg with
  | GrantMsg => (* lock acquired *)
    s := true;; (* update state *)
    output Grant (* notify listeners *)
  | _ => nop (* never happens *)
```

Figure 3. A simple lock service application implemented in Verdi, under the assumption of a reliable network. Verdi extracts these definitions into OCaml and links the resulting code with a runtime to send and receive messages over the network.

ig Woos Pavel Panchekha
Michael D. Ernst Thomas Anderson

WALKER, USA

[35] D. Sangiorgi and D. Walker. *PI-Calculus: A Theory of Mobile Processes*. Cambridge University Press, New York, NY, USA, 2001. ISBN 0521781779.

Take-Home Message

- The pi calculus is a formal system for modeling concurrency in which “communication channels” take center stage.
- Key concerns include non-determinism and security. The pi calculus models synchronous communication. Can someone eavesdrop on my channel?

Possible Concurrency

- No Concurrency
- Threads and Shared Variables
 - A language mechanism for specifying interleaving computations; often run on a single processor
- Parallel (SIMD)
 - A single program with simultaneous operations on multiple data (high-perf physics, science, ...)
- Distributed processes
 - Code running at multiple sites (e.g., internet agents, DHT, Byzantine fault tolerance, Internet routing)
- Different research communities \Rightarrow different notions

(There Must Be) Fifty Ways to Describe Concurrency

- **No Concurrency**

- Sequential processes are modeled by the λ -calculus.
Natural way to observe an algorithm: examine its output for various inputs \Rightarrow functions

- **Threads and Shared Variables**

- Small-step opsem with contextual semantics (e.g., callcc), or special type systems (e.g., [FF00])

- **Parallel (SIMD)**

- Not in this class (e.g., Titanium, etc.)

- **Distributed processes**

- ???

Modeling Concurrency

- Concurrent systems are **naturally non-deterministic**
 - Interleaving of atomic actions from different processes
 - New concurrent scheduling possibly yields new result
- Concurrent processes can be **observed in many ways**
 - When are two concurrent systems equivalent?
 - Intra-process behavior vs. inter-process behavior
- Concurrency can be **described in many ways**
 - **Process creation**: fork/wait, cobegin/coend, data parallelism
 - **Process communication**: shared memory, message passing
 - **Process synchronization**: monitors, semaphores, transactions

Message Passing

- These “many ways” lead to a **variety of process calculi**
- We will focus on **message passing!**



Communication and Messages

- Communication is a fundamental concept
 - But not for everything (e.g., not much about parallel or scientific computing in this lecture)
- Communication through message passing
 - synchronous or asynchronous
 - static or dynamic communication topology
 - first-order or high-order data
- Historically: **Weak treatment of communication**
 - I/O often not considered part of the language
- Even “modern” languages have primitive I/O
 - First-class messages are rare
 - Higher-level remote procedure call is rare

Calculi and Languages

- Many calculi and languages use message-passing
 - **Communicating Sequential Processes** (CSP) (Hoare, 1978)
 - Occam (Jones)
 - **Calculus of Communicating Systems** (CCS) (Milner, 1980)
 - **The Pi Calculus** (Milner, 1989 and others)
 - Pict (Pierce and Turner)
 - Concurrent ML (Reppy)
 - **Java RMI**
- Messaging is built in some higher-level primitives
 - Remote procedure call
 - Remote method invocation

The Pi Calculus

- The pi calculus is a process algebra
 - Each process runs a different program
 - Processes run **concurrently**
 - But they can **communicate**
- Communication happens on channels
 - channels are **first-class objects**
 - channel names can be sent on channels
 - can have **access restrictions** for channels
- In λ -calculus everything is a function
- In Pi calculus **everything is a process**

Pi Calculus Grammar

- Processes **communicate on channels**
 - $c\langle M \rangle$ *send message M on channel c*
 - $c(x)$ *receives message value x from channel c*
- Sequencing
 - $c\langle M \rangle.p$ *sends message M on c, then does p*
 - $c(x).p$ *receives x on c, then does p with x (x is bound in p)*
- Concurrency
 - $p \mid q$ *is the parallel composition of p and q*
- Replication
 - $!p$ *creates an infinite number of replicas of p*

Examples

- For example we might define

Speaker = air<M> // send msg M over air
Phone = air(x).wire<x> // copy air to wire
ATT = wire(x).fiber<x> // copy wire to fiber
System = Speaker | Phone | ATT

- Communication between processes is modeled by reduction:

Speaker | Phone \rightarrow wire<M> // send msg M to wire
wire<M> | ATT \rightarrow fiber<M> // send msg M to fiber

- Composing these reductions we get

Speaker | Phone | ATT \rightarrow fiber<M> // send msg M to fiber

Channel Visibility

- Anybody can **monitor an unrestricted channel!**
- Modeling such snooping:
`WireTap = wire(x).wire<x>.NSA<x>`
 - Copies the messages from the wire to NSA
 - Possible since the name “wire” is globally visible
- Now the composition:
`WireTap | wire<M> | ATT →`
`wire<M>.NSA<M> | ATT →`
`NSA<M> | fiber<M> // OOPS !`

Restriction

- The restriction operator $(\nu c) p$ makes a fresh channel c within process p
 - ν is the Greek letter “nu”
 - The name c is local (**bound**) in p
 - c is not known outside of p
- Restricted channels *cannot be monitored*
 $\text{wire}(x) \dots \mid (\nu \text{wire})(\text{wire}\langle M \rangle \mid \text{ATT}) \rightarrow$
 $\text{wire}(x) \dots \mid \text{fiber}\langle M \rangle$
- The scope of the name **wire** is restricted
- There is no conflict with the global **wire**

Restriction and Scope

- Restriction

- is a **binding** construct (like λ , \forall , \exists , ...)
- is **lexically scoped**
- allocates a new object (**a new channel**)
- somewhat like Unix pipe(2) system call

$(\nu c)p$ is like `let c = new Channel() in p`

- c can be sent outside its initial scope
 - But only if p decides so (intentional leak)

First-Class Channels

- Channel c can **leave its scope** of declaration
 - via a message $d\langle c \rangle$ from within p
 - d is some other channel known to p
 - Intentional with “friend” processes (e.g., send my **IM handle=c** to a buddy via **email=d**)
- Allowing channels to be sent as messages means **communication topology is dynamic**
 - If channels are not sent as messages (or stored in the heap) then the communication topology is static
 - This differentiates Pi-calculus from CCS

Example of First-Class Channels

Consider:

MobilePhone = `air(x).cell<x>`
ATT1 = `wire<cell>`
ATT2 = `wire(y).y(ẋ).fiber<x>`

*y will be bound to
cell!*

in

`(v cell)(MobilePhone | ATT1) | ATT2`

- ATT1 passes `cell` out of the static scope of the restriction `v cell`

Q: Books (734 / 842)

- Name either the Martian protagonist or the Martian word for "to drink" in Robert Heinlein's 1961 sci-fi novel **Stranger in a Strange Land**. The novel won the Hugo award and the word has entered the OED.

Q: General (485 / 842)

- In the works **Treatise on the Human Being** and **Discourse on the Method** (1637) Descartes considers a theory in which the soul is like a little person that sits inside the brain to observe and direct. Name the little person or the gland most closely associated with this theory. Optionally, translate “*je pense, donc je suis*”, which first appears in DoTM.

Scope Extrusion

- A **channel is just a name**
 - First-class names must be usable in any scope
- The pi calculus restrictions distribute:
$$((\nu c) p) \mid q = (\nu c)(p \mid q) \quad \text{if } c \text{ not free in } q$$
- Renaming is needed in general:
$$\begin{aligned} ((\nu c) p) \mid q &= ((\nu d) [d/c] p) \mid q \\ &= (\nu d)([d/c] p \mid q) \end{aligned}$$

where “d” is fresh (does not appear in p or q)
- This **scope extrusion** distinguishes the pi calculus from other process calculi

Syntax of the Pi Calculus

There are many versions of the Pi calculus

A basic version:

$p, q ::=$	<i>(p and q are processes)</i>
nil	<i>nil process (sometimes written 0)</i>
$x < y > . p$	<i>sending data y on channel x</i>
$x (y) . p$	<i>receiving data y from channel x</i>
$p \mid q$	<i>parallel composition</i>
$!p$	<i>replication</i>
$(\nu x) p$	<i>restriction (new channel x used in p)</i>

- Note that only variables can be channels and messages

Operational Semantics

- One **basic rule of computation**: data transfer

$$\frac{}{x\langle y \rangle.p \mid x(z).q \rightarrow p \mid [y/z]q}$$

- Synchronous communication: 1 sender, 1 receiver
 - Both the **sender and the receiver proceed afterwards**
- Rules for local (non-communicating) progress:

$$\frac{p \rightarrow p'}{p \mid q \rightarrow p' \mid q}$$

$$\frac{p \rightarrow p'}{(\nu x)p \rightarrow (\nu x)p'}$$

$$\frac{p \equiv p' \quad p' \rightarrow q' \quad q' \equiv q}{p \rightarrow q}$$

Structural Congruence

$$\frac{}{p \equiv p} \quad \frac{q \equiv p}{p \equiv q} \quad \frac{p \equiv q \quad q \equiv r}{p \equiv r}$$

$$\frac{p \equiv p'}{p \mid q \equiv p' \mid q} \quad \frac{p \equiv p'}{(\nu x)p \equiv (\nu x)p'}$$

$$!p \equiv p \mid !p$$

$$p \mid \text{nil} \equiv p$$

$$p \mid q \equiv q \mid p$$



$$(\nu x)(\nu y)p \equiv (\nu y)(\nu x)p$$

$$(\nu x)\text{nil} \equiv \text{nil}$$

$$(\nu x)(p \mid q) \equiv (\nu x)p \mid q \quad x \text{ not free in } q$$

Semantics and Evaluation

- IMP opsem has the “diamond property”
- Does the Pi Calculus? Why or why not?



Theory of Pi Calculus


- The Pi calculus **does not have the Church-Rosser property**
 - Recall: $\text{WireTap} \mid \text{wire}\langle M \rangle \mid \text{ATT} \rightarrow^* \text{NSA}\langle M \rangle \mid \text{fiber}\langle M \rangle$
 - Also: $\text{WireTap} \mid \text{wire}\langle M \rangle \mid \text{ATT} \rightarrow^* \text{WireTap} \mid \text{fiber}\langle M \rangle$
 - This captures the *non-deterministic nature* of concurrency
- For Pi-calculus there are
 - Type systems
 - Equivalences and logics
 - Expressiveness results, through encodings of numbers, lists, procedures, objects

Pi Calculus Applications

- A number of languages are based on Pi
 - e.g., Pict (Pierce and Turner)
- Specification and verification
 - mobile phone protocols, security protocols
- Pi channels have nice built-in properties, such as:
 - integrity
 - confidentiality (with ν)
 - exactly-once semantics
 - mobility (channels as first-class values)
- These properties are useful in **high-level descriptions of security protocols**
- More detailed descriptions are possible in the [spi calculus](#) (= pi calculus + cryptography)

A Typical Security Protocol

- Establishment and use of a secret channel:



- A and B are two clients
- S is an authentication server
- c_{AS} and c_{BS} are existing private channels with server
- c_{AB} is a new channel for the clients

That Security Protocol in Pi

- That protocol is described as follows:

$$A(M) = (\nu c_{AB}) c_{AS} \langle c_{AB} \rangle . c_{AB} \langle M \rangle$$

$$S = ! (c_{AS}(x) . c_{BS} \langle x \rangle \mid c_{BS}(x) . c_{AS} \langle x \rangle)$$

$$B = c_{BS}(x) . x(y) . \text{Work}(y)$$

$$\text{System}(M) = (\nu c_{AS})(\nu c_{BS}) A(M) \mid S \mid B$$

- Where $\text{Work}(y)$ represents what B does with the message M (bound to y) that it receives
- The $\mid c_{BS}(x) . c_{AS} \langle x \rangle$ makes the server symmetric

Some Security Properties

- An authenticity property
 - For all N , if B receives N then A sent N to B
- A secrecy property
 - An outsider cannot tell $\text{System}(M)$ apart from $\text{System}(N)$, unless B reveals some part of A 's message
- Both of these properties can be formalized and proved in the Pi calculus
- The secrecy property can be treated via a simple type system

Mainstream Languages

- Communication channels are not found in popular languages
 - sockets in C are reminiscent of channels
 - STREAMS (never used) are even closer
 - ML has exactly what we've described (surprise)
- More popular is *remote procedure call* or (for OO languages) *remote method invocation*

Concurrent ML

- Concurrent ML (CML) extends of ML with:
 - threads
 - **typed channels**
 - pre-emptive scheduling
 - garbage collection for threads and channels
 - **synchronous communication**
 - **events as first-class values**
- OCaml has it (Event, Thread), etc.
 - “**First-class synchronous communication.** This module implements synchronous inter-thread communications over channels. *As in John Reppy's Concurrent ML system*, the communication events are first-class values: they can be built and combined independently before being offered for communication.”

Threads and Channels in CML

```
val spawn : (unit → unit) → thread (* create a new thread *)  
val channel : unit → 'a chan (* create a new typed channel *)  
val accept : 'a chan → 'a (* message passing operations *)  
val send : ('a chan * 'a) → unit
```

So one can write, for example:

```
fun serverLoop () = let request = accept recCh in  
                    send (replyCh, workOn request);  
                    serverLoop ()
```

Basic Events in Concurrent ML

val sync : 'a event \rightarrow 'a (** force synchronization on an event, block until this communication succeeds **)

val transmit : ('a chan * 'a) \rightarrow unit event (** nonblocking; promises to do the send at some point **)

val receive : 'a chan \rightarrow 'a event (** sets up the rendezvous, but you don't actually get the value until you sync **)

val choose : 'a event list \rightarrow 'a event (** succeeds when one of the events in the list succeeds **)


val wrap : ('a event * ('a \rightarrow 'b)) \rightarrow 'b event (** do an action after synchronization on an event **)

So you can write, as in Unix syscall select(2):

select (mylist : 'a event list) : 'a = sync (choose mylist)

Java Remote Method Invocation

- Java RMI is a Java extension with
 - Java method invocation syntax
 - similar semantics
 - static checks
 - distributed garbage collection
 - exceptions for failures



RMI notes

- Compare RMI with pure message passing
 - RMI is weaker, but OK for many purposes
- RMI not a perfect fit into Java:
 - non-remote objects are **passed by copy** in RMI
 - clients use **remote interfaces**, not remote classes
 - clients must handle **RemoteException**
 - using same syntax for MI and RMI leads to **hidden performance costs**
- But it is not an unreasonable design!

Homework

- Project
 - Need help? Stop by my office or send email.